

Poly Tough Cart

Please follow all assembly and safety instructions to ensure proper use of the Poly Tough Cart.

Cart Components:	Qty:
3/4" Bolts	4
1 1/2" Bolts	8
Nylon Lock Nuts	12
Poly Tub	1
Handle	1
Frame with Axle	1
U-shaped Legs	2
Wheels	2
Cotter Pins	2

Tools required for assembly:

Adjustable wrench
Pliers

Assembly Instructions

Step 1. Invert the Poly Tub and lay it on the ground or on a flat surface. Continue with Steps 2 through 5 using the illustration below.

Step 2. Place the Frame with Axle on the Tub, lining up the holes in the Frame with the four holes in the bottom of the Tub. Insert a 3/4" Bolt (bolt not shown) into each hole from underneath and tighten with a Nylon Lock Nut on top of the Frame. To make this step easier, have a second person hold the Tub and Frame together on it's side while you insert the bolts from underneath. Tighten each Lock Nut with an adjustable wrench.

Step 3. Attach the U-shaped Legs to the Frame using two 1 1/2" Bolts and Nylon Lock Nuts per leg. Insert each bolt from the outer sides of the Frame and tighten with a Lock Nut inside the frame.

Step 4. Attach the Handle to the Frame using two 1 1/2" Bolts and Nylon Lock Nuts per side.

Step 5. Slide a Wheel onto each end of the Axle. Insert a Cotter Pin through small hole in each end of the Axle. Use pliers to spread the ends of the Cotter Pins to a wide "Y" to secure the Wheels to the Axle.

Safety Precautions

- Do not carry passengers in this cart or allow children to play with the cart at any time.
- Use caution on slopes, especially when carrying heavy loads. The cart does not have brakes and may roll away from you.
- Do not exceed the 300-pound load recommendation for this cart.
- Distribute weight evenly when loading the cart. Too much weight in the front of the cart can cause the cart to flip up or roll unexpectedly and cause injury.

Cart Maintenance

- Protect your cart from harsh weather by storing it in a shed, garage, or under a tarp when not in use.
- To keep the cart in proper working condition, tighten the nuts and bolts periodically.

